


POWERLATCH TWINLOCK **TILT**

MILLER[®]
Ground breaking[™]

The PowerLatch Tilt Coupler

See things from a totally different angle



OUR FULL RANGE INCLUDES:



Quick Hitch Couplers / Bucket Range / Special Attachments / Compact Range / Mining Equipment / Hydraulic Breakers



POWERLATCH TWINLOCK **TILT**

Proven Design

The PowerLatch Tilt coupler builds on the proven Miller TwinLock design, this low maintenance quick hitch coupler gives the operator additional peace of mind from the ABS mechanical backup system that ensures attachments remain securely engaged on both pins in the unlikely event of loss of engagement forces. This industry leading design enables up to 180° tilt functionality on all models, providing increased versatility and flexibility for the operator and making it a must have for a variety of applications such as grading, road construction and demolition.

Designed for use on excavators ranging from 3.5 to 20 tonnes, the cast compact design is achieved through side mounted arms which reduce the overall height and weight of the PowerLatch Tilt for enhanced performance and productivity.

PowerLatch Tilt: Features

- Up to 180° rotation on all models
- Tried & tested TwinLock design with mechanical front and rear locks
- Highly visible front latch
- Cast coupler for strength and durability
- Reduced overall height and weight due to the side mount arm
- Robust and reliable actuator
- Low maintenance, actuator is self-lubricating
- Variable pin centre design
- Available for 3.5T – 20T machines

ABS
FRONT & REAR





Benefit from Full Tilt only from Miller

MARKET LEADING DESIGN WITH WORLDWIDE COMPLIANCE

- 180° tilt across all models creates maximum flexibility with your attachments
- Compact design gives the operator greater visibility and performance capability
- The PowerLatch Tilt coupler enhances the overall productivity and versatility of your machine
- Reliable actuator for low maintenance

Model	Excavator Weight	Pick up range (mm)	Max. Tilt (°)
P	3.5T	172-200	180
R	5T	220-265	180
R3	6-9T	280-320	180
R4	10-13T	345-420	180
R6	19-21T	430-520	180

*Above specifications are subject to change without notice

Peace of Mind

The PowerLatch Tilt coupler can be used with Miller Mate for additional peace of mind.





Miller UK Ltd, Bassington Lane, Bassington Industrial Estate, Cramlington, Northumberland, NE23 8AD.

Telephone: +44 (0)1670 707 272 Fax: +44 (0)1670 707 474

Email: info@millergroundbreaking.com Website: www.millergroundbreaking.com

.....
Authorised Dealer

.....
Miller China

Email: china@millergroundbreaking.com
www.millercoupler.cn

Miller Ground Breaking India PVT Ltd

Email: india@millergroundbreaking.com
www.millerindia.com

Miller Australia Pty Ltd

Email: info@millergroundbreaking.com.au
www.millergroundbreaking.com.au

Miller Ground Breaking Inc.

Email: info@millergroundbreaking.com

